



Company _____ Location _____ Date _____

Vol 29 - No 4 TEMPORARY HEATERS

During cold weather months, portable heaters are put into use because they are convenient, economical and easy to use. Before portable heaters are put to use, they must be “checked out” to ensure that they are in proper operating condition. Use of a defective heater can result in burns, electric shock, fires and inadequate ventilation can cause carbon monoxide poisoning.



**CORRECT
AREA AROUND HEATER IS
CLEAN AND FREE OF DEBRIS**



**DANGEROUS
AREA AROUND HEATER IS
CLUTTERED AND FILLED
WITH FLAMMABLE
MATERIALS**

**See OSHA
1926.154 for
s a f e t y
r e g u l a t i o n s
d e a l i n g w i t h
t e m p o r a r y
h e a t e r s**

By taking the following precautions, hazards can be eliminated:


1. Position heaters away from combustible materials.
2. Maintain good ventilation.
3. Keep heaters outside of confined spaces.
4. Place heaters on a solid non-combustible base.
5. Keep a fire extinguisher in close proximity.
6. Solid fuel heaters are prohibited inside buildings and on scaffolds.
7. If L. P. G. is a source of fuel, follow all safety requirements.
8. Maintain a safe distance when working near heaters.
9. Do not use temporary heaters to warm or dry articles of clothing.

STAY WARM AND STAY SAFE !


Company _____ Location _____ Date _____

Vol 29 - No 4 TEMPORARY HEATERS

During cold weather months, portable heaters are put into use because they are convenient, economical and easy to use. Before portable heaters are put to use, they must be “checked out” to ensure that they are in proper operating condition. Use of a defective heater can result in burns, electric shock, fires and inadequate ventilation can cause carbon monoxide poisoning.



**CORRECT
AREA AROUND HEATER IS
CLEAN AND FREE OF DEBRIS**



**DANGEROUS
AREA AROUND HEATER IS
CLUTTERED AND FILLED
WITH FLAMMABLE
MATERIALS**

**See OSHA
1926.154 for
s a f e t y
r e g u l a t i o n s
d e a l i n g w i t h
t e m p o r a r y
h e a t e r s**

By taking the following precautions, hazards can be eliminated:

1. Position heaters away from combustible materials.
2. Maintain good ventilation.
3. Keep heaters outside of confined spaces.
4. Place heaters on a solid non-combustible base.
5. Keep a fire extinguisher in close proximity.
6. Solid fuel heaters are prohibited inside buildings and on scaffolds.
7. If L. P. G. is a source of fuel, follow all safety requirements.
8. Maintain a safe distance when working near heaters.
9. Do not use temporary heaters to warm or dry articles of clothing.

STAY WARM AND STAY SAFE !